



RAB18 deficiency

RAB18 deficiency causes two conditions with similar signs and symptoms that primarily affect the eyes, brain, and reproductive system. These two conditions, called Warburg micro syndrome and Martsolf syndrome, were once thought to be distinct disorders but are now considered to be part of the same disease spectrum because of their similar features and shared genetic cause.

Warburg micro syndrome is the more severe condition. Individuals with this condition have several eye problems from birth, including clouding of the lenses of the eyes (cataracts), abnormally small eyes (microphthalmia), and small corneas (microcornea). The lens is a structure at the front of the eye that helps focus light, and the cornea is the outer covering of the eye. In addition, the pupils of the eyes may be abnormally small (constricted), and they may not enlarge (dilate) in low light. Individuals with Warburg micro syndrome also have degeneration of the nerves that carry visual information from the eyes to the brain (optic atrophy). The eye problems impair vision in affected individuals.

People with Warburg micro syndrome have severe intellectual disability and other neurological features due to problems with growth and development of the brain. Affected individuals have delayed development and may never be able to sit, stand, walk, or speak. They usually have weak muscle tone (hypotonia) in infancy. By early childhood, they develop muscle stiffness (spasticity) and joint deformities (contractures) that restrict movement in the legs. The muscle problems worsen (progress) to include the arms and lead to paralysis of all four limbs (spastic quadriplegia). Eventually, breathing may be impaired. The brain abnormalities can contribute to vision problems (cortical visual impairment). Individuals with Warburg micro syndrome may also have recurrent seizures (epilepsy).

Some people with Warburg micro syndrome have reduced production of the hormones that direct sexual development (hypogonadotropic hypogonadism). The shortage of these hormones impairs normal development of reproductive organs. Affected males may have a small penis (micropenis) or undescended testes (cryptorchidism). Affected females may have underdeveloped internal genital folds (labia minora) or a small clitoris or vaginal opening (introitus).

Martsolf syndrome affects the same body systems as Warburg micro syndrome but is usually less severe. Individuals with Martsolf syndrome have cataracts, microphthalmia, and small pupils. They have milder optic atrophy and cortical visual impairment than people with Warburg micro syndrome. Intellectual disability is mild to moderate in people with Martsolf syndrome. While language and motor skills, such as sitting and walking, are delayed, affected individuals usually acquire them. Hypotonia is common in infants with Martsolf syndrome, although spasticity worsens more slowly than in

individuals with Warburg micro syndrome, and it usually affects only the legs and feet. Hypogonadotropic hypogonadism can also occur in individuals with Martsolf syndrome. Neither Warburg micro syndrome nor Martsolf syndrome affect the life expectancy of affected individuals.

Frequency

RAB18 deficiency is rare; its exact prevalence is unknown. Warburg micro syndrome is more common than Martsolf syndrome.

Causes

RAB18 deficiency is caused by mutations in the *RAB3GAP1*, *RAB3GAP2*, *RAB18*, or *TBC1D20* gene. *RAB3GAP1* gene mutations are the most common cause of Warburg micro syndrome, although mutations in any of the genes can result in this condition. Mutations that cause Warburg micro syndrome completely eliminate the production or function of the protein produced from the gene. Martsolf syndrome is caused by mutations in the *RAB3GAP2* gene or rarely the *RAB3GAP1* gene. Mutations that result in Martsolf syndrome reduce but do not eliminate protein function.

The *RAB18* gene provides instructions for making the RAB18 protein. The *RAB3GAP1*, *RAB3GAP2*, and *TBC1D20* genes provide instructions for making proteins that regulate the activity of this protein. The RAB3GAP1 and RAB3GAP2 proteins interact to form a complex that turns on RAB18. In contrast, the TBC1D20 protein turns off RAB18.

When turned on, RAB18 regulates the movement of substances between compartments in cells and the storage and release of fats (lipids) by structures called lipid droplets. The protein also appears to play a role in a process called autophagy, which helps clear unneeded materials from cells.

Mutations in the *RAB18*, *RAB3GAP1*, *RAB3GAP2*, or *TBC1D20* gene are thought to disrupt RAB18 function. However, it is unclear why an absence or shortage (deficiency) of normal RAB18 activity leads to eye problems, brain abnormalities, and other features of Warburg micro syndrome or Martsolf syndrome.

Inheritance Pattern

RAB18 deficiency is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Diagnosis & Management

Genetic Testing Information

- What is genetic testing?
[/primer/testing/geneticTesting](#)
- Genetic Testing Registry: Cataract-intellectual disability-hypogonadism syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0796037/>
- Genetic Testing Registry: Warburg micro syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/CN158709/>

Other Diagnosis and Management Resources

- GeneReview: RAB18 Deficiency
<https://www.ncbi.nlm.nih.gov/books/NBK475670>

Additional Information & Resources

Health Information from MedlinePlus

- Encyclopedia: Intellectual disability
<https://medlineplus.gov/ency/article/001523.htm>
- Health Topic: Developmental Disabilities
<https://medlineplus.gov/developmentaldisabilities.html>
- Health Topic: Eye Diseases
<https://medlineplus.gov/eyediseases.html>
- Health Topic: Vision Impairment and Blindness
<https://medlineplus.gov/visionimpairmentandblindness.html>

Genetic and Rare Diseases Information Center

- Martsolf syndrome
<https://rarediseases.info.nih.gov/diseases/3406/martsolf-syndrome>
- Micro syndrome
<https://rarediseases.info.nih.gov/diseases/5534/micro-syndrome>

Educational Resources

- Centers for Disease Control and Prevention: Developmental Disabilities
<https://www.cdc.gov/ncbddd/developmentaldisabilities/>
- Centre for Arab Genomic Studies: Martsolf Syndrome
<http://www.cags.org.ae/pdf/212720.pdf>
- Centre for Arab Genomic Studies: Warburg Micro Syndrome
<http://www.cags.org.ae/pdf/600118.pdf>

- Global Genes: Video Story: Warburg Micro Syndrome
<https://globalgenes.org/2013/07/31/video-story-warburg-micro-syndrome/>
- MalaCards: martsolf syndrome
https://www.malacards.org/card/martsolf_syndrome
- MalaCards: rab18 deficiency
https://www.malacards.org/card/rab18_deficiency
- Merck Manual Home Edition: Structure and Function of the Eyes
<https://www.merckmanuals.com/home/eye-disorders/biology-of-the-eyes/structure-and-function-of-the-eyes>
- Orphanet: Micro syndrome
https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=2510
- The University of Arizona Health Sciences
<https://disorders.eyes.arizona.edu/disorders/rab18-deficiency>

Patient Support and Advocacy Resources

- American Association on Intellectual and Developmental Disabilities (AAIDD)
<https://www.aaidd.org/>
- American Foundation for the Blind
<https://www.afb.org/>
- Foundation Fighting Blindness
<https://www.fightingblindness.org/>
- National Organization for Rare Disorders (NORD): Warburg Micro Syndrome
<https://rarediseases.org/rare-diseases/warburg-micro-syndrome/>
- Resource List from the University of Kansas Medical Center: Blind / Visual Impairment
<http://www.kumc.edu/gec/support/visual.html>

Clinical Information from GeneReviews

- RAB18 Deficiency
<https://www.ncbi.nlm.nih.gov/books/NBK475670>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28RAB18+deficiency%5BTIAB%5D%29+OR+%28Warburg+micro+syndrome%5BTIAB%5D%29+OR+%28Martsolf+syndrome%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

Catalog of Genes and Diseases from OMIM

- MARTSOLF SYNDROME
<http://omim.org/entry/212720>
- WARBURG MICRO SYNDROME 1
<http://omim.org/entry/600118>
- WARBURG MICRO SYNDROME 2
<http://omim.org/entry/614225>
- WARBURG MICRO SYNDROME 3
<http://omim.org/entry/614222>
- WARBURG MICRO SYNDROME 4
<http://omim.org/entry/615663>

Medical Genetics Database from MedGen

- Cataract-intellectual disability-hypogonadism syndrome
<https://www.ncbi.nlm.nih.gov/medgen/208658>
- Warburg micro syndrome
<https://www.ncbi.nlm.nih.gov/medgen/472601>

Sources for This Summary

- Aligianis IA, Johnson CA, Gissen P, Chen D, Hampshire D, Hoffmann K, Maina EN, Morgan NV, Tee L, Morton J, Ainsworth JR, Horn D, Rosser E, Cole TR, Stolte-Dijkstra I, Fieggen K, Clayton-Smith J, Mégarbané A, Shield JP, Newbury-Ecob R, Dobyns WB, Graham JM Jr, Kjaer KW, Warburg M, Bond J, Trembath RC, Harris LW, Takai Y, Mundlos S, Tannahill D, Woods CG, Maher ER. Mutations of the catalytic subunit of RAB3GAP cause Warburg Micro syndrome. *Nat Genet.* 2005 Mar;37(3):221-3.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15696165>
- Aligianis IA, Morgan NV, Mione M, Johnson CA, Rosser E, Hennekam RC, Adams G, Trembath RC, Pilz DT, Stoodley N, Moore AT, Wilson S, Maher ER. Mutation in Rab3 GTPase-activating protein (RAB3GAP) noncatalytic subunit in a kindred with Martsolf syndrome. *Am J Hum Genet.* 2006 Apr;78(4):702-7. Epub 2006 Feb 14.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16532399>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1424696/>
- Bem D, Yoshimura S, Nunes-Bastos R, Bond FC, Kurian MA, Rahman F, Handley MT, Hadzhiev Y, Masood I, Straatman-Iwanowska AA, Cullinane AR, McNeill A, Pasha SS, Kirby GA, Foster K, Ahmed Z, Morton JE, Williams D, Graham JM, Dobyns WB, Burglen L, Ainsworth JR, Gissen P, Müller F, Maher ER, Barr FA, Aligianis IA. Loss-of-function mutations in RAB18 cause Warburg micro syndrome. *Am J Hum Genet.* 2011 Apr 8;88(4):499-507. doi: 10.1016/j.ajhg.2011.03.012. Erratum in: *Am J Hum Genet.* 2011 May 13;88(5):678. Bond, Frances F [corrected to Bond, Frances C].
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21473985>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3071920/>

- Borck G, Wunram H, Steiert A, Volk AE, Körber F, Roters S, Herkenrath P, Wollnik B, Morris-Rosendahl DJ, Kubisch C. A homozygous RAB3GAP2 mutation causes Warburg Micro syndrome. *Hum Genet.* 2011 Jan;129(1):45-50. doi: 10.1007/s00439-010-0896-2. Epub 2010 Oct 22.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20967465>
- Feldmann A, Bekbulat F, Huesmann H, Ulbrich S, Tatzelt J, Behl C, Kern A. The RAB GTPase RAB18 modulates macroautophagy and proteostasis. *Biochem Biophys Res Commun.* 2017 May 6; 486(3):738-743. doi: 10.1016/j.bbrc.2017.03.112. Epub 2017 Mar 22.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/28342870>
- Gerondopoulos A, Bastos RN, Yoshimura S, Anderson R, Carpanini S, Aligianis I, Handley MT, Barr FA. Rab18 and a Rab18 GEF complex are required for normal ER structure. *J Cell Biol.* 2014 Jun 9; 205(5):707-20. doi: 10.1083/jcb.201403026. Epub 2014 Jun 2.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24891604>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4050724/>
- Handley M, Sheridan E. RAB18 Deficiency. 2018 Jan 4. In: Adam MP, Ardinger HH, Pagon RA, Wallace SE, Bean LJH, Stephens K, Amemiya A, editors. *GeneReviews®* [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2018. Available from <http://www.ncbi.nlm.nih.gov/books/NBK475670/>
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/29300443>
- Handley MT, Carpanini SM, Mali GR, Sidjanin DJ, Aligianis IA, Jackson IJ, FitzPatrick DR. Warburg Micro syndrome is caused by RAB18 deficiency or dysregulation. *Open Biol.* 2015 Jun;5(6):150047. doi: 10.1098/rsob.150047.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/26063829>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4632505/>
- Liegel RP, Handley MT, Ronchetti A, Brown S, Langemeyer L, Linford A, Chang B, Morris-Rosendahl DJ, Carpanini S, Posmyk R, Harthill V, Sheridan E, Abdel-Salam GM, Terhal PA, Faravelli F, Accorsi P, Giordano L, Pinelli L, Hartmann B, Ebert AD, Barr FA, Aligianis IA, Sidjanin DJ. Loss-of-function mutations in TBC1D20 cause cataracts and male infertility in blind sterile mice and Warburg micro syndrome in humans. *Am J Hum Genet.* 2013 Dec 5;93(6):1001-14. doi: 10.1016/j.ajhg.2013.10.011. Epub 2013 Nov 14.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24239381>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3852926/>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/rab18-deficiency>

Reviewed: April 2018

Published: June 23, 2020

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services